Cert. No: SWA/F/1147



State Water Authority Certificate of Approval for Water Supply Product

The State Water Authority of Sarawak hereby gives approval for this water supply product to be used in the Water Supply Authority areas within Sarawak, under the powers vested in Part III Regulation 9 of the Water Supply Regulations 1995:

SERVICING VALVE (COPPER ALLOY) Name & Address of WELL-BUILT ALLOY INDUSTRIES SDN Name of Water

Supply Product: FOR WATER SERVICE Certificate Holder: **BHD**

NO 5 JALAN RIANG 24 TAMAN

GEMBIRA 81200 **JOHOR** BAHRU.

JOHOR

Fitting Type: Nature of Business Manufacturer

18/11/2025

Entity of Certificate

Brand: CITY WELL-BUILT ALLOY INDUSTRIES SDN Name & Address of

BHD

Manufacturer: **JALAN RIANG 24** NO **TAMAN**

GEMBIRA 81200, JOHOR BAHRU,

JOHOR

Class & Size: See schedule on the reverse page

19/11/2024

BS 6675:1986

Name & Address of WELL-BUILT ALLOY INDUSTRIES SDN

Principal: **BHD**

> NO 5 JALAN RIANG 24 TAMAN

GEMBIRA 81200, **JOHOR** BAHRU,

JOHOR

Product Category: Category A

Standard:

Validity Period:

Date of Issue:

This approval is given subject to the following:

22/11/2024

- i. The State Water Authority of Sarawak reverses the right to withdraw this approval at anytime and shall not be obliged to give any reason whatsoever.
- ii. The specifications for the water supply products shall not differ from that originally submitted in the application for approval.
- iii. There should not be any unsuitability in the use of this product.
- iv. This certificate of approval shall not be used for any advertisement purpose. However, a copy can be used as evidence of approval only.
- V. This certificate of approval shall become invalid upon expiry of SPAN Product Certificate Registration or SIRIM Licence or IKRAM Bhd Certification or other internationally recognized certification of the product, whichever is earlier.



Schedule

COMPANY NAME: WELL-BUILT ALLOY INDUSTRIES SDN BHD

PRODUCT: SERVICING VALVE (COPPER ALLOY) FOR WATER SERVICE

VALIDITY PERIOD: 19/11/2024 - 18/11/2025

CERTIFICATE NUMBER: SWA/F/1147

| Model | Series | Description |
|--|--|---|
| LOCKABLE VALVE; PATTERN: SPHERICAL PLUG | MAXIMU M WORKIN G PRESSU RE: 16BAR; MAXIMU M WORKIN G TEMPER ATURE: 30°C | BODY MATERIAL: CW617N; END CONNECTION: SCREW ENDS / NOMINAL SIZE: 1/2" & 3/4" / LOCKABLE VALVE |
| LOCKABLE VALVE (P); PATTERN : SPHERICAL PLUG | MAXIMU M WORKIN G PRESSU RE: 16 BAR; MAXIMU M WORKIN G TEMPER ATURE: 30°C | BODY MATERIAL : CW617N; END CONNECTION : SCREW ENDS / NOMINAL SIZE : 3/4" / LOCKABLE VALVE (P) |
| LOCKABLE VALVE (J AND J1); PATTERN : SPHERICAL PLUG | MAXIMU M WORKIN G PRESSU RE: 16 BAR; MAXIMU M WORKIN G TEMPER ATURE: 30°C | BODY MATERIAL : CW617N; END CONNECTION : SCREW ENDS / NOMINAL SIZE : 3/4" / LOCKABLE VALVE (J AND J1) |

| Model | Series | Description |
|----------------|---------|---|
| LOCKABLE VALVE | MAXIMU | BODY MATERIAL : CW617N; END CONNECTION : |
| (K); PATTERN : | M | SCREW ENDS / NOMINAL SIZE : 3/4" / LOCKABLE |
| SPHERICAL PLUG | WORKIN | VALVE (K) |
| | G | |
| | PRESSU | |
| | RE:16 | |
| | BAR; | |
| | MAXIMU | |
| | М | |
| | WORKIN | |
| | G | |
| | TEMPER | |
| | ATURE : | |
| | 30°C | |

| Fnd of Page | | | |
|-------------|--|--|--|
| | | | |